APPLICATION FOR PERMIT

STORE TO APPROXERXANE THE PUBLIC WATERS OF THE STATE OF NEVADA RESERVOIR SITE NO. 4

Date of filing in State Engineer's Office	0C1	F8	. 198	6		
Returned to applicant for correction						<u> </u>
Corrected application filed						
Map filed	MAY	<u> </u>	198	7	POU	under 50191
The applicantWashoe Count	y and	City	of	Sparks	== } : ·	<u></u>
D+ 0004 D 111200					Dam.	
Novada 89520						
State and Zip Code No.		_				for permission to appropriate the public
waters of the State of Nevada, as hereinafte	r stated.	. (If a _l	pplic	ant is a c	согрога	ation, give date and place of incorpora-
tion; if a copartnership or association, give n	ames of	meml	bers.)		
			•	,,,,		
		Undo	W W W	aund w	= .ton	anamanniatad undan
1. The source of the proposed appropriati	on is	unae	rgro N	ame of stre	am, lake,	spring, underground or other source
applications 50191 through	50241	inc	lus	ive.	,	·
2. The amount of water applied for is					N/A	second-feet
(a) If stored in reservoir give number o	f acre-fe	Or eet	ne seco	nd-foot equ	13,	3 gals. per min. 000
						age of electrical energy).
3. The water to be used for	ation, pow	:				c, or other use. Must limit to one use.
4. If use is for:						
(a) Irrigation, state number of acres to	be irriga	ited			N/A	
(b) Stockwater, state number and kinds	of anin	nals to	be '	watered	N/A	
(c) Other use (describe fully under "No	. 12. Re	marks'	»	,	see	remarks
(d) Power:						
					460	megawatts
						megawatts
(2) Point of return of water to stre	am	none	, t	ne wate	er Wi	ll be recycled.
5. The water is to be diverted from its sou will be centered about a point NE NW of Section 25. I38N.	116 106	a veu	44 1 1	,	10	nlet.and.outlet.structures scribe as being within a 40-acre subdivision of public int.from.which.the.SE.corner. tated.
of Section 36, T38N, R18E, M						
6. Place of use Washoe County as de	scribe	d in	NRS	3 243.3	340 e	t seq. Place of use
Descri	be by legai	l sabdivi	sion. 1	f on unsurv	eyed land	i, it should be so stated,
,					***********	
***************************************		****				·····
PARTER STATE OF THE PARTER						····
7. Use will begin about January 1	a	ınd en	d abo	out[)ecem	ber 31 , of each year.
						ou may be required to submit plans and
						penstock tunnels, a is to be diverted, i.e. diversion structure, ditches and sion system.
flumes, drilled well with pump and motor, etc.						•
0 Estimated cost of works 3	4.5U . UC	JU ZUU	u.Dl			$(\mathbf{x}_{i}) = \mathbf{x}_{i} = (\mathbf{x}_{i}) + (\mathbf{x}$

10.	Estimated time required to construct works	15 years. If well completed, describe works.						
		11 Wen Completed, describe works.						
11.	Estimated time required to complete the applica	tion of water to beneficial use15 years						
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use. See Attachment "A".							
	SEC ALLGUINGILL A. A.							
		p s/Donald Δ Mahin						
		By s/Donald A. Mahin Donald A. Mahin, Agent						
Con	pared bc/bl c1/	Post Office Box 11130 Reno, Nevada 89520						
Prot	ested							
	DENIAL	OF STATE ENGINEER						
follo		deny egoing application, and do hereby gram the same, subject to the						
	This application is hereby de	enied on the grounds that it would not						
be	in the public interest to ap	prove permits to appropriate water						
	om bodices on which water its	inte do not exist.						
	•							
This is to certify that I have examined the foregoing application, and do hereby grain the same, subject to the following limitations and conditions: This application is hereby denied on the grounds that it would not be in the public interest to approve permits to appropriate water from sources on which water rights do not exist. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, an not to exceed								
The	amount of water to be appropriated shall be li	nited to the amount which can be applied to beneficial use, and						
not t	o exceed	cubic feet per second						
Wor	must be prosecuted with reasonable diligence a	and be completed on or before						
Proc	f of completion of work shall be filed on or befo	re						
App	ication of water to beneficial use shall be made	on or before						
Proc	f of the application of water to beneficial use sha	all be filed on or before						
Мар	in support of proof of beneficial use shall be file	ed on or before						
Com	oletion of work filed IN	TESTIMONY WHEREOF, I-R. MICHAEL TURNIPSEED, State Engineer of Nevada, have hereunto set my hand and the seal of	P.E.					
Proo	of beneficial use filed	my office, this 13th day of April						
Cultı	ral map filed							
Certi	icate NoIssued	A.D. 19. 98						
- VIII	218 (Rev.)	Allfihark ferrings of Pt.						
~ 256		State Lighter						

ATTACHMENT "A"

PUMPED STORAGE PROJECT NUMBER 3 PEGLEG CANYON AND DUCK LAKE QUADRANGLES RESERVOIR SITE NO. 4

This application is for storage of water in an artificial reservoir (forebay) to be constructed as part of an electrical energy pumped storage project. This project consists of a forebay and afterbay that will recycle approximately 5,000 acre feet of water per day. The reservoirs will be connected to quasi-municipal water distribution facilities. The estimated annual evaporation from the forebay and afterbay in this project is less than 1,200 acre feet. The peak generating capacity of this project is about 460 megawatts. The power plant will be located at a point along a line connecting the forebay and afterbay.

The proposed dam in Section 25 T38N R18E M.D.B.&M. will be approximately 110 feet high and will submerge approximately 320 acres of land lying below an elevation of 6,000 feet mean sea level located within Sections 24 and 25 of T38N R18E M.D.B.&M. and Sections 18 and 19 of T38N R19E M.D.B.&M. A saddle dam approximately 120 feet high will be located in Section 19 T38N R19E M.D.B.&M. The average total vertical head of this project is approximately 1,290 feet. The selection of the power plant location, dam location and construction methods will depend upon a detailed site investigation and project optimization.

